



## Public Notification

### BOIL WATER ADVISORY

The **Chatham County, City of Tybee Island, Water System** is issuing this advisory **due to an automated communication error which caused the well pumps to shut down, resulting in the loss of water pressure throughout the entire distribution system.** This advisory is being issued out of an abundance of caution. There is the potential a health hazard due to microbial contamination in these areas without positive pressure.

In order to protect the public from a potential health hazard, customers that have experienced water outages and/or low water pressures are advised to use only boiled tap water or bottled water for drinking, cooking, or preparing food. To properly boil tap water for use, customers should:

- Heat water until bubbles come quickly from the bottom of the container;
- Continue heating the water for one minute once it begins to boil;
- Remove the water from the heat source and allow to cool before use.

During a Boil Water Advisory, the Centers for Disease Control (CDC) recommends that boiled tap water or bottled water be used for the following:

- Drinking
- Brushing teeth
- Washing food and preparing food and baby formula
- Making ice
- Drinking water for pets

Other activities such as clothes washing, dish washing and other uses can be done without boiling tap water, if done properly. The complete CDC guidance can be found at this website:

<https://www.cdc.gov/healthywater/emergency/drinking/drinking-water-advisories/boil-water-advisory.html>

The advisory is in effect until [**Chatham County, City of Tybee Island, Water System**] has done the appropriate testing to be confident that there is no longer a public health concern. Customers will be notified immediately when the Advisory is lifted. Once the Advisory is lifted you should flush all faucets for a minimum of two minutes before using for drinking or food preparation.

**City of Tybee Island, WSID #GA0510005.**

**Please Contact Shari Haynes at (912) 713-5259 for questions or concerns.**